

Analytical report AR-21-HD-012639-02



Testing laboratory:

Customer:

Zkušební laboratoř EUROFINS CZ
 Radiová 1285/7
 102 00 Praha 10 – Hostivař
 IČO: 27449408
 tel.: +420 776 499 111
 E-mail: Customer@eurofins.cz

Střední OŠ s.r.o.
 Záhřebská 614
 250 07 Klomov
 IČO: 250202948

Issue date 13.05.2021

Sample Code 540-2021-00020712

Sample reception date: 29.04.2021
 Date of Testing: 29.04.2021 - 12.05.2021

Sample information:

Sample name, extended: Barny's ACTIVEaloe FORTE Lékárenská aloe 500 ml
 Sampler: Customer

Physical and chemical tests

| Parameter | Unit | Result | Uncertainty of measurement * | Method | Method principle | TZ |
|-----------|-------|--------|------------------------------|--------|------------------|----|
| Aloin A | mg/kg | <0.05 | | - | LC-MS/MS | SN |

Notes: SOP, ŠPP - Standard operation procedure
 ND - not detected by given method
 CFU - Colony forming unit
 NM - necessary quantity
 SN - subcontracted not accredited test
 * - the expanded measurement uncertainty, as determined by the extension coefficient $k = 2$ (with a 95% probability), does not include sampling uncertainty; if the measurement uncertainty is expressed in %, it is its relative value
 Result between LOD and LOQ = detected

TZ - type of test
 A - test within the accreditation scope of EUROFINS CZ
 N - test outside of the accreditation scope of EUROFINS CZ
 SA - subcontracted accredited test

If the information supplied by the customer could have be to affect the validity of the results, the laboratory disclaims responsibility. For samples supplied by the customer, the results relate to the sample as received and provided by the customer. The measuring devices and gauges used for the test / tests have been calibrated and verified according to valid metrological regulations. The results of the measurements relate only to the subject of the tests and do not replace other documents, e.g. of an administrative nature. The result identified as subcontracting in this protocol is the result of subcontractor measurements based on contract, order. The protocol may be reproduced or incorporated into promotional materials only with the written consent of the EUROFINS CZ Testing Laboratory and only to the extent of such approval. Any alteration, reproduction of part of the test report is not permitted and such analytical report automatically becomes invalid. The authenticity and completeness of the report can be verified at the EUROFINS CZ test laboratory stated in the header of analytical report. This Test Report has been issued in accordance with the applicable EUROFINS CZ Conditions of service available on request and accessible at www.eurofins.cz.

Test Certificate approved by:

Worked out by: *[Signature]*
 No. of document: 2021513114020348

[Signature]
 Head of Testing Laboratory

[Signature]

EUROFINS CZ, s.r.o.
 Radiová 1285/7
 102 00 Praha 10 – Hostivař
 IČO: 27449408, DIČ: CZ27449408
 -1-